

Fig. 1

FIG. 2





Fig. 2

FRONT



Fig. 4






Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig 10




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16

Fig. 17

Fig. 18








Fig. 19








Fig. 24

SECTION A-A




Fig. 25

A

FIG. 25




Fig. 26





Fig. 27






Fig 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33

FIG. 34




Fig. 34




Fig. 35




Fig. 36




Fig. 37

Technical drawing of a mechanical assembly, likely a pump or motor component, showing various parts and their relationships. The drawing includes the following labeled components:

- 478**: A curved arm or lever on the left side.
- 482**: A curved arm or lever on the right side.
- 480**: A curved arm or lever on the right side, adjacent to 482.
- 450**: A gear or sprocket in the center-right area.
- 452**: A gear or sprocket in the center-right area, adjacent to 450.
- 476**: A circular component on the left side.
- 470**: A large circular component at the bottom.
- 362**: A curved arm or lever on the right side, indicated by an arrow.

The drawing uses solid lines for visible edges and dashed lines for hidden internal features. Two circular components (476 and 470) are shaded with diagonal lines. The assembly is shown in a perspective view.

FIG. 1

Fig. 39